

Refine Search

Search Results -

Terms	Documents
valerie near2 (de adj poilly)	1

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L1

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Sunday, March 26, 2006 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT; PLUR=YES; OP=OR

L1 valerie near2 (de adj poilly) 1 L1

END OF SEARCH HISTORY

(FILE 'HOME' ENTERED AT 12:26:45 ON 26 MAR 2006)

FILE 'CAPLUS, KOSMET' ENTERED AT 12:26:57 ON 26 MAR 2006

L1 15157 S (COSMET? OR DERMAT?) (5A) (COMPOSITION OR PREPARATION OR FORM
L2 603 S L1 AND (SUNSCREEN OR (UV(2A)SCREEN) OR SUNBLOCK)
L3 5 S L2 AND ASCORB?(2A)PHOSPH?
L4 5 S L1 AND ((SUNSCREEN OR (UV(2A)SCREEN) OR SUNBLOCK) (5A) (WATER(W
L5 1 S L1 AND BENZYLIDENECAMPHOR(2A) (SULF? OR SULPH?)
L6 1 S L1 AND BENZYLIDENECAMPHOR(10A) (SULF? OR SULPH?)

ANSWER 1 OF 5 CAPLUS COPYRIGHT 2006 ACS on STN

TI Cosmetic compositions comprising a silicone compound

AB The present invention relates to a cosmetic compn. comprising a silicone compound and an oil agent, such as linear organopolysiloxanes, cyclic organopolysiloxanes, and branched organopolysiloxanes. The composition further comprises a compound having an alc.

hydroxy group other than higher alcs., a water-soluble and/or water-swelling polymer, water, powder, a coloring agent, and a surfactant. For example, a sunscreen milky lotion contained tris(trimethylsiloxy)hexylsilane (M3T-C6, preparation given) 20.0%, KF 56 (phenyltrimethicone) 3.0%, sorbitan monoisostearate 1.0%, KF 6012 (PEG/PPG-20/22 Bu ether dimethicone) 0.5%, SPD-T5 5.0%, octyl p-methoxycinnamate 4.0%, SPD-D5 8.0%, sorbitol 2.0%, sodium chloride 2.5%, antiseptic and perfume as needed, and water to 100%.

ACCESSION NUMBER: 2004:1035005 CAPLUS

DOCUMENT NUMBER: 142:11196

TITLE: Cosmetic compositions comprising a silicone compound

INVENTOR(S): Sakuta, Koji

PATENT ASSIGNEE(S): Shin-Etsu Chemical Co., Ltd., Japan

SOURCE: Eur. Pat. Appl., 62 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1481660	A1	20041201	EP 2004-76549	20040526
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				
JP 2004346046	A2	20041209	JP 2003-147135	20030526
US 2004241126	A1	20041202	US 2004-852755	20040525
PRIORITY APPLN. INFO.:			JP 2003-147135	A 20030526

OTHER SOURCE(S): MARPAT 142:11196

REFERENCE COUNT: 16 THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 2 OF 5 CAPLUS COPYRIGHT 2006 ACS on STN

TI Cosmetic compositions containing Rooibos tea extract

AB A cosmetic compn. comprising Rooibos tea extract in combination with at least one protective agent which is a daytime protective agent, a night time protective agent, or mixts. thereof, and methods for exfoliating skin and treating menopausal or peri-menopausal skin is described.

ACCESSION NUMBER: 2004:652433 CAPLUS

DOCUMENT NUMBER: 141:194947

TITLE: Cosmetic compositions containing Rooibos tea extract

INVENTOR(S): Reinhart, Gale Mcelroy; Ferone, James Joseph; Lattner, Kristen Allison; Reisinger, Beverly Ann; Cashin, Christopher James; Detore, Donna Marie

PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 10 pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2004156798	A1	20040812	US 2003-361294	20030210
PRIORITY APPLN. INFO.:			US 2003-361294	20030210

L3 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2006 ACS on STN
 TI Cosmetic or dermatological composition
 containing an ascorbic acid derivative and a sunscreen
 AB Aqueous cosmetic compn. contains in a physiol. acceptable
 medium, at least a metal salt of phosphoryl ascorbic
 acid, at least a water-soluble U.V. sunscreen comprising at least a
 sulfonic function, and at least an anhydride maleic. Particulate polymers
 can also be used, such as anhydride maleic-styrene copolymer. The composition
 is intended in particular to be used for depigmentation of skin, to
 prevent and/or treat the cutaneous spots, the wrinkles of the skin, to
 prevent and/or treat the signs of cutaneous ageing. A solution contained
 95.8 45, magnesium ascorbyl phosphate 0.1, (SMA 1000H
 Na) 1, 33% and terephthalidene dicamphor sulfonic acid 3.1%.

ACCESSION NUMBER: 2004:271168 CAPLUS
 DOCUMENT NUMBER: 140:308983
 TITLE: Cosmetic or dermatological
 composition containing an ascorbic acid
 derivative and a sunscreen
 INVENTOR(S): De Poilly, Valerie
 PATENT ASSIGNEE(S): L'oreal, Fr.
 SOURCE: Fr. Demande, 28 pp.
 CODEN: FRXXBL
 DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 2845002	A1	20040402	FR 2002-12079	20020930
FR 2845002	B1	20041105		
WO 2004028483	A2	20040408	WO 2003-FR2626	20030902
WO 2004028483	A3	20040513		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003278242	A1	20040419	AU 2003-278242	20030902
EP 1558205	A2	20050803	EP 2003-769553	20030902
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2006504699	T2	20060209	JP 2004-539107	20030902
US 2004096406	A1	20040520	US 2003-665821	20030922
PRIORITY APPLN. INFO.:			FR 2002-12079	A 20020930
			US 2002-418347P	P 20021016
			WO 2003-FR2626	W 20030902
OTHER SOURCE(S): MARPAT 140:308983				
REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT				

L3 ANSWER 4 OF 5 CAPLUS COPYRIGHT 2006 ACS on STN
 TI Method of reducing the loss of skin elasticity and firmness using
 compositions containing mineral water
 AB The present invention relates to a method of reducing the loss of skin
 elasticity or firmness comprising topically administering a
 cosmetic compn. containing a reducing amount of mineral water
 having a mineral content of at least about 200 mg/L, wherein the mineral
 water comprises at least about 10 mg/L of calcium and at least about 5

mg/L of magnesium. A mineral water, e.g., Evian Mineral Water, comprises 30-150 mg/L of calcium, 10-50 mg/L of magnesium, 150-700 mg/L of bicarbonates, 0.1-5 mg/L of potassium, 1-20 mg/L of sulfates, 1-10 mg/L of sodium, 1-10 mg/L of chlorides, and 1-10 mg/L of nitrates. A cosmetic compn. further comprises a compound selected from creatine, carnitine, pyruvic acid. For example, a composition containing Evian Mineral Water was manufactured containing (by weight) L-carnitine 1%, sodium pyruvate 1%, trehalose 1%, 75 % aqueous D-panthenol solution 1.3%, magnesium ascorbyl phosphate 1%, L-proline 1%, mineral water 72.7%, pentylene glycol 20%, and phenoxyethanol 1%. This compn. was used in formulation of cosmetic preps., e.g., a sunscreen moisturizer.

ACCESSION NUMBER: 2002:30992 CAPLUS
DOCUMENT NUMBER: 136:90699
TITLE: Method of reducing the loss of skin elasticity and firmness using compositions containing mineral water
INVENTOR(S): Shapiro, Stanley S.; Wiegand, Benjamin C.; Martin, Katherine M.
PATENT ASSIGNEE(S): Johnson & Johnson Consumer Companies, Inc., USA
SOURCE: Eur. Pat. Appl., 10 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1170002	A1	20020109	EP 2000-307057	20000817
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
PRIORITY APPLN. INFO.:			US 2000-606889	A 20000629
REFERENCE COUNT: 5		THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT		

L3 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2006 ACS on STN
TI Cosmetic and pharmaceutical compositions containing antioxidants, anti-inflammatory agents, and immunity boosting components for protecting and treating sun damaged skin
AB A cosmetic or pharmaceutical compn. for the protection and prevention of skin damage to a patient resulting from exposure to sunlight having at least one antioxidant component in an amount sufficient to inhibit the formation of free radicals; at least one anti-inflammatory component in an amount sufficient to substantially inhibit the inflammation associated with exposure to sunlight; and at least one immunity boosting component to enhance the patient's immune response is disclosed. In a preferred form, the composition also includes a cysteine component, a magnesium component, a manganese component, a copper component, a selenium component, and a carotenoid component. In a more preferred form the invention also includes wild yam root, wild yam extract, yellow dock, bupleurum, poria cocos, gentian root, myrrh gum, hawthorn berry extract, and rosemary extract. The invention also relates to a method for protecting skin from damage caused by exposure to sunlight by administering the pharmaceutical composition in an amount therapeutically effective in increasing the sun protection factor of the skin. A sunblock formula contained water 68.55%, propylene glycol dicaprylate/dicaprate 10.00, butylene glycol 6.00, titanium dioxide 5.60, isodecyl neopentanoate 3.00, cetyl alc. 2.00, glyceryl stearate 1.25, PEG-100 stearate 1.25, potassium cetyl phosphate 0.10, lecithin 0.01, tocopherol 0.01, magnesium ascorbyl phosphate 0.01, sodium PCA 0.10, polyisoprene 0.03, soybean (glycine soya) sterol 0.02, retinyl palmitate 0.01, ascorbyl palmitate 0.01, lemon (Citrus medica limonum) peel extract 0.10, propylene glycol 0.40, xanthan gum 0.25, Carbomer 0.25, triethanolamine 0.30,

disodium EDTA 0.10, diazolidinyl urea 0.30, methylparaben 0.25, and
propylparaben 0.10%.

ACCESSION NUMBER: 1998:590653 CAPLUS
DOCUMENT NUMBER: 129:221021
TITLE: Cosmetic and pharmaceutical compositions containing
antioxidants, anti-inflammatory agents, and immunity
boosting components for protecting and treating sun
damaged skin
INVENTOR(S): Murad, Howard
PATENT ASSIGNEE(S): USA
SOURCE: U.S., 10 pp.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
US 5804168	A	19980908	US 1997-790190	19970129
PRIORITY APPLN. INFO.:			US 1997-790190	19970129
REFERENCE COUNT:	23	THERE ARE 23 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT		

ANSWER 1 OF 5 CAPLUS COPYRIGHT 2006 ACS on STN

TI Water-soluble polyaminoamides as sunscreen agents in hair products

AB A UV-protective water-soluble polyaminoamide comprising UV-absorbing end groups, wherein the polyaminoamide absorbs UV light radiation having a wavelength of about 200 nm to about 420 nm, compns. comprising the UV-protective polyaminoamide and methods of treating substrates, e.g., hair, with the UV-protective polyaminoamide are described. For example, 52.4 g (0.27 mol) of di-Me terephthalate, 154.5 g (1.5 mol) of diethylenetriamine and 3.0 g of 95% sulfuric acid reacted under nitrogen purge at 150° and methanol was is distilled off. Adipic acid (157.8 g, 1.08 mol) was then added, the mixture was heated at 165° and water was distilled off. Me salicylate (45.6 g, 0.3 mol) was then added and the mixture was furthered heated to remove methanol from the reaction of Me salicylate and the amine end groups. Water (337 g) was slowly added to dilute the polymer to a 50% solution. Aqueous sulfuric acid (50%) was added to adjust the solution pH to about 7.0. A single tensile strength anal. of hair fibers showed that hair treated with the polyaminoamide prepared had higher breaking force than comparative sunscreen. The polyaminoamide also provided better sun protection than control.

ACCESSION NUMBER: 2005:259814 CAPLUS

DOCUMENT NUMBER: 142:322302

TITLE: Water-soluble polyaminoamides as sunscreen agents in hair products

INVENTOR(S): Hessefort, Yin; Wei, Mingli; Carlson, Wayne

PATENT ASSIGNEE(S): Nalco Company, USA

SOURCE: PCT Int. Appl., 43 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005025491	A2	20050324	WO 2004-US22072	20040708
WO 2005025491	A3	20050714		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
US 2005154180	A1	20050714	US 2003-655163	20030904
PRIORITY APPLN. INFO.:			US 2003-655163	A 20030904

L4 ANSWER 2 OF 5 CAPLUS COPYRIGHT 2006 ACS on STN

TI Topical compositions containing metal oxide powders and nonionic water-soluble thickeners, and their manufacture

AB The topical compns. (e.g., cosmetics and sunscreens) have aqueous phases (pH 7-10) containing SiO₂-coated metal oxide fine powders [isoelec. point (pI) ≤3] and nonionic water-soluble thickeners. Si(OEt)₄ (at 25 weight% as SiO₂ based on ZnO) was added dropwise to a 40 volume% aqueous EtOH dispersion containing 8 weight% UFZ-40 (ZnO) and 0.09 mol/L of NH₄OH within 9 h, and the mixture was stirred at 45° for 12 h to give SiO₂-coated ZnO (pI 2.1). An aqueous slurry (pH 7.9; 37.5 g) containing 40 weight% of the SiO₂-coated ZnO was mixed with H₂O 16.5, 1,3-butylene glycol 8, glycerin 3, and an aqueous solution containing 1 weight% hydroxyethyl cellulose (SX 25F; pH 6.5) to give a

cosmetic compn. (pH 7.8) showing no aggregation or precipitation
 ACCESSION NUMBER: 2004:568558 CAPLUS
 DOCUMENT NUMBER: 141:111210
 TITLE: Topical compositions containing metal oxide powders
 and nonionic water-soluble thickeners, and their
 manufacture
 INVENTOR(S): Ishii, Nobuaki; Ishioka, Shinya
 PATENT ASSIGNEE(S): Showa Denko K. K., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 13 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2004196708	A2	20040715	JP 2002-367162	20021218
PRIORITY APPLN. INFO.:			JP 2002-367162	20021218

L4 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2006 ACS on STN
 TI **Cosmetic or dermatological composition**
 containing an ascorbic acid derivative and a sunscreen
 AB Aqueous cosmetic compn. contains in a physiol. acceptable
 medium, at least a metal salt of phosphoryl ascorbic acid, at least a
 water-sol. U.V. sunscreen comprising at least
 a sulfonic function, and at least an anhydride maleic. Particulate
 polymers can also be used, such as anhydride maleic-styrene copolymer.
 The composition is intended in particular to be used for depigmentation of
 skin, to prevent and/or treat the cutaneous spots, the wrinkles of the
 skin, to prevent and/or treat the signs of cutaneous ageing. A solution
 contained 95.8 45, magnesium ascorbyl phosphate 0.1, (SMA 1000H Na) 1, 33%
 and terephthalidene dicamphor sulfonic acid 3.1%.

ACCESSION NUMBER: 2004:271168 CAPLUS
 DOCUMENT NUMBER: 140:308983
 TITLE: **Cosmetic or dermatological**
composition containing an ascorbic acid
 derivative and a sunscreen
 INVENTOR(S): De Poilly, Valerie
 PATENT ASSIGNEE(S): L'oreal, Fr.
 SOURCE: Fr. Demande, 28 pp.
 CODEN: FRXXBL
 DOCUMENT TYPE: Patent
 LANGUAGE: French
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 2845002	A1	20040402	FR 2002-12079	20020930
FR 2845002	B1	20041105		
WO 2004028483	A2	20040408	WO 2003-FR2626	20030902
WO 2004028483	A3	20040513		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003278242	A1	20040419	AU 2003-278242	20030902

EP 1558205 A2 20050803 EP 2003-769553 20030902
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
 JP 2006504699 T2 20060209 JP 2004-539107 20030902
 US 2004096406 A1 20040520 US 2003-665821 20030922
 PRIORITY APPLN. INFO.: FR 2002-12079 A 20020930
 US 2002-418347P P 20021016
 WO 2003-FR2626 W 20030902
 OTHER SOURCE(S): MARPAT 140:308983
 REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 5 CAPLUS COPYRIGHT 2006 ACS on STN
 TI Photostable sunscreen preparation containing a combination of a
 dibenzoylmethane derivative, a sodium salt of a sulfonated sunscreen and a
 naphthalene carboxylic acid derivative
 AB The invention relates to photostable cosmetic or dermatol.
 light-protective preps. containing at least one lipid phase and at least one
 aqueous phase, characterized by the fact that said preps. contain (a) at
 least one UV-A sun screen based on dibenzoylmethane derivs., (b) at least
 one monosulfonated or polysulfonated UV-A sun screen
 that is water-sol. as salt, and (c) at least one
 naphthalene dicarboxylic acid derivative Also disclosed is a method for
 stabilizing dibenzoylmethane derivs. and the use of the light-protective
 preps. for protecting the skin and hair from UV rays. Thus a sunscreen
 lotion included (weight/weight%): water 70.35; glycerin (99%) 4.00;
 1,3-butyleneglycol 5.00; D-panthenol 0.60; Lara Care A-200 0.25; Neo
 Heliopan AP (20% solution neutralized with triethanol amine) 9.00; Baysilone
 oil M10 (dimethicone) 1.00; Copherol 1250 0.50; Neo Heliopan 357 0.60;
 Corapan TQ 1.80; bisabolol 0.10; perfume 0.30; Pemulen TR 2 0.25;
 phenoxyethanol 0.70; methylparaben 0.20; propylparaben 0.10;
 triethanolamine 0.25.
 ACCESSION NUMBER: 2003:818251 CAPLUS
 DOCUMENT NUMBER: 139:311972
 TITLE: Photostable sunscreen preparation containing a
 combination of a dibenzoylmethane derivative, a sodium
 salt of a sulfonated sunscreen and a naphthalene
 carboxylic acid derivative
 INVENTOR(S): Langner, Roland; Johncock, William
 PATENT ASSIGNEE(S): Symrise G.m.b.H. & Co. K.-G., Germany
 SOURCE: PCT Int. Appl., 52 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003084496	A1	20031016	WO 2003-EP2908	20030320
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
DE 10214843	A1	20031016	DE 2002-10214843	20020404
AU 2003214144	A1	20031020	AU 2003-214144	20030320
PRIORITY APPLN. INFO.:			DE 2002-10214843	A 20020404
			WO 2003-EP2908	W 20030320

OTHER SOURCE(S) :
REFERENCE COUNT:

MARPAT 139:311972

13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1996:753841 CAPLUS
DN 126:65356
TI Cosmetic compositions containing sulfonic acid derivatives as bactericides
IN Boelle, Jean Paul; Laugier, Jean Pierre
PA Oreal S. A., Fr.
SO Fr. Demande, 24 pp.
CODEN: FRXXBL

DT Patent
LA French

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	FR 2730934	A1	19960830	FR 1995-2135	19950223
PRAI	FR 1995-2135		19950223		
OS	MARPAT 126:65356				



Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name.
Additionally, enter the **first few letters** of the Inventor's First name.

Last Name**First Name**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)